



IMA SCHELLING
GROUP



IMA Advantage 500L Edgebander

Machine #50329

Key Features

- **Tooling:** Multi Milling Unit, 2 mm corner rounding unit
- **Edgeband Capabilities:** 0.5 mm - 3 mm coiled edgebanding
- **Minimum Edge Tape Height:** 12 mm
- **Maximum Edge Tape Height:** 65 mm
- **Minimum Panel Thickness:** 8 mm
- **Maximum Panel Thickness:** 60 mm
- **Smallest Workpiece** 65 mm x 150 mm (at max panel thickness of 25 mm)
- **Processing Speed:** 14 - 20 m/min
- **Working height:** 900 mm









IMA SCHELLING
GROUP

IMA Advantage 500L Edgebander

Machine #50329





IMA SCHELLING
GROUP

Factory-Certified Refurbished Machines

Step 1: Incoming Cleaning and Assessment

Once a machine arrives in our Rebuild Center, we conduct a thorough cleaning and evaluate the condition of all components.

Step 2: Assembly and Repairs

Factory-trained technicians assemble the machines and make repairs using genuine IMA and Schelling replacement parts.

Step 3: Restoration to Original Factory Specifications

The machine is restored to its original appearance and performance capability. Equipment is calibrated and thoroughly tested to ensure full functionality to original factory specifications.

Step 4: Certification and Warranty

Every IMA Schelling USA factory-certified refurbished machine comes with a six-month warranty.

